



SAFETY DATA SHEET

Issue Date 25-May-2015

Revision Date 29-Jul-2015

Version 2

ES-300

E-Stain Moss ES-300

1. IDENTIFICATION

Product identifier

Product Name E-Stain Moss ES-300

Other means of identification

Product Code ES-300

Recommended use of the chemical and restrictions on use

Recommended Use Restricted to professional users.

Uses advised against Consumer use

Details of the supplier of the safety data sheet

Supplier Address

Solomon Colors, Inc.
4050 Color Plant Road
Springfield, IL 62702

Manufacturer Address

Solomon Colors, Inc.
4050 Color Plant Road
Springfield, IL 62702

24 Hour Emergency Phone Number 800-373-7542

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| | |
|---------------------------|-------------|
| Respiratory sensitization | Category 1 |
| Skin sensitization | Category 1 |
| Germ cell mutagenicity | Category 1B |
| Carcinogenicity | Category 1A |
| Reproductive toxicity | Category 1B |

Label elements

Emergency Overview

Danger

Hazard statements

Harmful if swallowed
Harmful if inhaled
Causes severe skin burns and eye damage
May cause allergy or asthma symptoms or breathing difficulties if inhaled
May cause an allergic skin reaction
May cause genetic defects
May cause cancer
May damage fertility or the unborn child
Causes damage to organs through prolonged or repeated exposure

**Appearance** Cloudy liquid**Physical state** No information available**Odor** Slight**Precautionary Statements - Prevention**

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Use only outdoors or in a well-ventilated area
Do not breathe dust/fume/gas/mist/vapors/spray
In case of inadequate ventilation wear respiratory protection
Contaminated work clothing should not be allowed out of the workplace

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a POISON CENTER or doctor/physician
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
Wash contaminated clothing before reuse
If skin irritation or rash occurs: Get medical advice/attention
IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store in accordance with local regulations
Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)**Other Information**

- Causes mild skin irritation
- Very toxic to aquatic life with long lasting effects
- Harmful to aquatic life

Unknown acute toxicity

12.8% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|-----------------------------|-------------|----------|--------------|
| Proprietary Acid Solution | Proprietary | 5-25 | * |
| Ferrous Sulfate | 7720-78-7 | 1-25 | * |
| Copper Sulfate Pentahydrate | 7758-99-8 | 0-25 | * |
| Copper Chloride | 7447-39-4 | 0-25 | * |
| Ferrous Chloride | 7758-94-3 | 0-25 | * |
| Sodium dichromate | 10588-01-9 | 0-15 | * |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

| | |
|-----------------------|---|
| General advice | In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). |
| Eye contact | In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. |
| Skin Contact | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| Inhalation | If fumes from reactions are inhaled, move to fresh air immediately. Call a physician or poison control center immediately. |
| Ingestion | If swallowed, call a poison control center or physician immediately. Clean mouth with water and drink afterwards plenty of water. |

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Contact with metals may evolve flammable hydrogen gas. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Runoff may pollute waterways.

Hazardous combustion products Contact with metals may evolve flammable hydrogen gas. Hydrogen chloride.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Keep people away from and upwind of spill/leak. Ventilate affected area. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Stop leak if you can do it without risk. Avoid contact with skin, eyes and inhalation of vapors.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Prevent further leakage or spillage if safe to do so. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Dike far ahead of liquid spill for later disposal. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Avoid breathing vapors or mists. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep/store only in original container. Keep in properly labeled containers. Keep from freezing.

Incompatible materials Strong oxidizing agents. Metals. Alkali.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--|---|--|---|
| Ferrous Sulfate 7720-78-7 | TWA: 1 mg/m ³ Fe | (vacated) TWA: 1 mg/m ³ Fe | TWA: 1 mg/m ³ Fe |
| Copper Sulfate Pentahydrate 7758-99-8 | TWA: 1 mg/m ³ Cu dust and mist | - | IDLH: 100 mg/m ³ Cu dust and mist TWA: 1 mg/m ³ Cu dust and mist |
| Copper Chloride 7447-39-4 | TWA: 1 mg/m ³ Cu dust and mist | - | IDLH: 100 mg/m ³ Cu dust and mist TWA: 1 mg/m ³ Cu dust and mist |
| Ferrous Chloride 7758-94-3 | TWA: 1 mg/m ³ Fe | (vacated) TWA: 1 mg/m ³ Fe | TWA: 1 mg/m ³ Fe |
| Sodium dichromate 10588-01-9 | TWA: 0.05 mg/m ³ Cr | TWA: 5 µg/m ³ (vacated) Ceiling: 0.1 mg/m ³ Ceiling: 0.1 mg/m ³ CrO ₃ applies to any operations or sectors for which the Hexavalent Chromium standard [29 CFR 1910.1026] is stayed or is otherwise not in effect | IDLH: 15 mg/m ³ Cr(VI) TWA: 0.0002 mg/m ³ Cr |

NIOSH IDLH *Immediately Dangerous to Life or Health*

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tight sealing safety goggles. Face protection shield.

Skin and body protection

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations

Wash face, hands and any exposed skin thoroughly after handling. Use personal protective equipment as required. Avoid prolonged or repeated contact with skin. Avoid breathing (dust, vapor, mist, gas). When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

No information available

Appearance

Cloudy liquid

Color

Green

Odor

Slight

Odor threshold

No information available

Property

Values

Remarks • Method

pH

No information available

Melting point/freezing point

No information available

Boiling point / boiling range

No information available

Flash point

No information available

| | |
|-------------------------------------|--------------------------|
| Evaporation rate | No information available |
| Flammability (solid, gas) | No information available |
| Flammability Limit in Air | |
| Upper flammability limit: | No information available |
| Lower flammability limit: | No information available |
| Vapor pressure | No information available |
| Vapor density | No information available |
| Specific Gravity | No information available |
| Water solubility | No information available |
| Solubility in other solvents | No information available |
| Partition coefficient | No information available |
| Autoignition temperature | No information available |
| Decomposition temperature | No information available |
| Kinematic viscosity | No information available |
| Dynamic viscosity | No information available |
| Explosive properties | No information available |
| Oxidizing properties | No information available |

Other Information

| | |
|-------------------------|--------------------------|
| Softening point | No information available |
| Molecular weight | No information available |
| VOC Content (%) | No information available |
| Density | No information available |
| Bulk density | No information available |

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

Strong oxidizing agents. Metals. Alkali.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Hydrogen chloride.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| | |
|----------------------------|--------------------|
| Product Information | No data available |
| Inhalation | No data available. |
| Eye contact | No data available. |
| Skin Contact | No data available. |
| Ingestion | No data available. |

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|---|------------------------|--------------------------|
| Ferrous Sulfate 7720-78-7 | = 237 mg/kg (Rat) | - | - |
| Copper Sulfate Pentahydrate 7758-99-8 | = 960 mg/kg (Rat) = 300 mg/kg (Rat) | > 2 g/kg (Rat) | - |
| Copper Chloride 7447-39-4 | = 584 mg/kg (Rat) | - | - |
| Ferrous Chloride 7758-94-3 | = 450 mg/kg (Rat) | - | - |
| Sodium dichromate 10588-01-9 | = 50 mg/kg (Rat) | = 336 mg/kg (Rabbit) | = 0.124 mg/L (Rat) 4 h |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.
Germ cell mutagenicity No information available.
Carcinogenicity No information available.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|---------------------------------|-------|---------|-------|------|
| Sodium dichromate 10588-01-9 | A1 | Group 1 | Known | X |

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.
STOT - single exposure No information available.
STOT - repeated exposure No information available.
Chronic toxicity May cause adverse liver effects.
Target Organ Effects Eyes, kidney, liver, Respiratory system, Skin.
Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 8511 mg/kg

ATEmix (inhalation-dust/mist) 20 mg/l

12. ECOLOGICAL INFORMATION

This product contains a chemical which is listed as a marine pollutant according to DOT.

Ecotoxicity

16.4% of the mixture consists of component(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|--|----------------------|---|--|
| Ferrous Sulfate 7720-78-7 | - | 925: 96 h Poecilia reticulata mg/L LC50 static 0.56: 96 h Cyprinus carpio mg/L LC50 semi-static | 152: 48 h Daphnia magna mg/L EC50 6.15 - 9.26: 48 h Daphnia magna mg/L EC50 Static |
| Copper Sulfate Pentahydrate 7758-99-8 | - | 0.66 - 1.15: 96 h Lepomis macrochirus mg/L LC50 semi-static 0.96 - 1.8: 96 h Lepomis macrochirus mg/L LC50 static 0.1478 - 0.165: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.09 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 static 0.6752: 96 h Pimephales promelas mg/L LC50 static | 0.147 - 0.227: 48 h Daphnia magna mg/L EC50 Static |
| Ferrous Chloride 7758-94-3 | - | 4: 96 h Morone saxatilis mg/L LC50 static | - |
| Sodium dichromate 10588-01-9 | - | 33.2: 96 h Pimephales promelas mg/L LC50 flow-through 69: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 213: 96 h Lepomis macrochirus mg/L LC50 static | 0.098 - 0.129: 48 h Daphnia magna mg/L EC50 1.4: 24 h Daphnia magna mg/L EC50 |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

| Chemical Name | California Hazardous Waste Status |
|--|-----------------------------------|
| Copper Sulfate Pentahydrate 7758-99-8 | Toxic |
| Copper Chloride 7447-39-4 | Toxic |
| Sodium dichromate 10588-01-9 | Toxic Corrosive Ignitable |

14. TRANSPORT INFORMATION

| | |
|-----------------------------|--|
| DOT | Not regulated (If shipped in NON BULK packaging by ground transport) |
| Marine pollutant | This product contains a chemical which is listed as a marine pollutant according to DOT. |
| TDG | |
| UN/ID no. | 3265 |
| Proper shipping name | CORROSIVE LIQUID, ACIDIC, ORGANIC N.O.S. (UREA HYDROCHLORIDE) |
| Hazard Class | 8 |
| Packing Group | III |
| Marine pollutant | This product contains a chemical which is listed as a marine pollutant according to TDG. |
| ICAO (air) | |
| UN/ID no. | 3265 |
| Proper shipping name | CORROSIVE LIQUID, ACIDIC, ORGANIC N.O.S. (UREA HYDROCHLORIDE) |
| Hazard Class | 8 |
| Packing Group | III |
| IATA | |
| UN/ID no. | 3265 |
| Proper shipping name | CORROSIVE LIQUID, ACIDIC, ORGANIC N.O.S. (UREA HYDROCHLORIDE) |
| Hazard Class | 8 |
| Packing Group | III |
| IMDG | |
| UN/ID no. | 3265 |
| Proper shipping name | CORROSIVE LIQUID, ACIDIC, ORGANIC N.O.S. (UREA HYDROCHLORIDE) |
| Hazard Class | 8 |
| Packing Group | III |
| Marine pollutant | This product contains a chemical which is listed as a marine pollutant according to IMDG/IMO |

15. REGULATORY INFORMATION

International Inventories

| | |
|----------------------|-----------------|
| TSCA | Complies |
| DSL/NDSL | Complies |
| EINECS/ELINCS | Complies |
| ENCS | Does not comply |
| IECSC | Complies |
| KECL | Does not comply |
| PICCS | Complies |
| AICS | Complies |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % |
|---|-------------------------------|
| Copper Sulfate Pentahydrate - 7758-99-8 | 1.0 |
| Copper Chloride - 7447-39-4 | 1.0 |
| Sodium dichromate - 10588-01-9 | 0.1 |

SARA 311/312 Hazard Categories

| | |
|--|----|
| Acute health hazard | No |
| Chronic Health Hazard | No |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|--|-----------------------------|------------------------|---------------------------|----------------------------|
| Ferrous Sulfate 7720-78-7 | 1000 lb | - | - | X |
| Copper Sulfate Pentahydrate 7758-99-8 | - | X | - | - |
| Copper Chloride 7447-39-4 | 10 lb | X | - | X |
| Ferrous Chloride 7758-94-3 | 100 lb | - | - | X |
| Sodium dichromate 10588-01-9 | 10 lb | X | - | X |

CERCLA

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|-------------------------------|--------------------------|----------------|---|
| Ferrous Sulfate 7720-78-7 | 1000 lb | - | RQ 1000 lb final RQ RQ 454 kg final RQ |
| Copper Chloride 7447-39-4 | 10 lb | - | RQ 10 lb final RQ RQ 4.54 kg final RQ |
| Ferrous Chloride 7758-94-3 | 100 lb | - | RQ 100 lb final RQ RQ 45.4 kg final RQ |

| | | | |
|---------------------------------|-------|---|--|
| Sodium dichromate 10588-01-9 | 10 lb | - | RQ 10 lb final RQ RQ 4.54 kg final RQ |
|---------------------------------|-------|---|--|

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical Name | California Proposition 65 |
|--------------------------------|---|
| Sodium dichromate - 10588-01-9 | Carcinogen Developmental Female Reproductive Male Reproductive |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|--|------------|---------------|--------------|
| Ferrous Sulfate 7720-78-7 | X | X | X |
| Copper Sulfate Pentahydrate 7758-99-8 | X | - | X |
| Copper Chloride 7447-39-4 | X | X | X |
| Ferrous Chloride 7758-94-3 | X | X | X |
| Sodium dichromate 10588-01-9 | X | X | X |

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Reactivity 0 Physical and Chemical **HMIS** Health hazards 0
Flammability 0 Physical hazards 0 Properties - Personal protection X

Issue Date 25-May-2015
Revision Date 29-Jul-2015
Revision Note
 No information available

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet